

Product Guide

WESTSIDE
PACKAGING
SYSTEMS

AUSTRALIA

wps

Company Profile

Westside Packaging Systems Australia supply a full range of Steel Strapping, Plastic Strapping and Stretch Wrap Films to suit all types of industries and all types of applications.

As well as supplying all types of packaging consumables, Westside Packaging also sells a full range of strapping and wrapping equipment, ranging from basic hand applications to fully automatic equipment to suit a wide range of applications.

We support these installations with **factory trained service technicians** and an extensive stock holding of spare parts. Offering after Sales emergency/preventative back up service available on all of our packaging equipment sold.

About Us.

Established in April 1997, Westside Packaging Systems Australia is a privately owned Australian company priding itself on unique personalised service and sales of quality products.



Contact Details

Westside Packaging Systems Australia
Factory 2, 4-8 Mareno Road
Tullamarine VIC 3043

P.O. Box 201
Tullamarine Vic 3043

Web Page: www.westsidepackaging.com.au

E-Mail: sales@westsidepackaging.com.au

Phone: 03 9335 5448

Fax: 03 9335 6369



We offer several easy ways to order product. Select the method best suited to your needs.



Follow us on Facebook and Instagram

Terms & Conditions

Westside Packaging Systems Australia is a 'distributor' and not a 'manufacturer' of products. All of our products are carefully sourced and selected for quality and durability. We offer the warranty provided by the original manufacturer and are bound by these requirements. On items directly imported, the warranty offered varies depending on the product. Most items are warranted against faults and defects in manufacture, however Westside Packaging Systems assumes no responsibility for the following.

*Improper installation or failure to follow fitting instructions.

*Indirect or consequential loss or damage.

*Failure due to improper maintenance.

*Cost of freight or travel time.

Special Orders: Custom "Made to Order" Non Stock items purchased on your behalf are strictly NON REFUNDABLE.

Trading Days: Monday - Friday

Payment Terms: All account customers - Nett 30 days from end of month. Non account customers strictly Cash Before Delivery.

Steel Strapping

Standard Ribbon, Rope & Super High Tensile, Magnus Steel Strapping.

Steel Strapping Tools

Standard Tools, Heavy Duty Tools, Combination Sealless Tools, Dispensers, Strap Cutters.

Polyester Strapping

Smooth, Embossed & High Strength Polyester.

Polyester Strapping Tools

Hand Tensioners, Sealers, Manual Combination, Battery powered Combination & Dispensers.

Polypropylene Strapping

Hand Grade, Machine Grade & Contrax Polypropylene.

Polypropylene Strapping Tools

Hand Tensioners, Sealers & Dispensers

Poly Strapping Machines

Semi Auto & Automatic Strapping Machine.

Polywoven & Composite Strapping

Woven, Composite Polyester Strapping, Buckles, Hand Tools.

Seals & Buckles

Seals-Steel, Seals-Poly & Pet, Buckles-Poly, Strap Guards.

Angleboard

Angleboard Edge Protection, Strap Guards, Notch Guard, Flexi Roll.

Stretch Film & Top Sheets

Hand Grade Cast & Blown Film, Machine Grade Premium Cast Stretch Film, Gale Wrap Oriented Film, Newsagents Wrapping Film, Open Netting, Bundling Film, Top Sheets, Bundle & Stretch Dispensers

General Packaging

Bubble Wrap, PolyFoam, Corrugated Board, Kraft Paper, Protective Mailing Bags, Jiffy Bags, Void Fill, Custom Made Cartons, Layflat Tubing, Singlewound, Centerfold, Side Gusset Films, Peel & Press Supa Labels, Document Envelopes Self Adhesive.

Packaging Tape

Rubber & Acrylic Adhesive, Masking Tape, Fluro Printed Tape, Custom Printed Tape.

Building Products

Builders Film, Protective Film, Corflute Sheets

Personal Protective Equipment

Gloves, Eye Protection, Hearing Protection, Respiratory Protection

Office Stationery

Pens, Markers, Paper, Cutters, Toner

Janitorial Products

Food Prep, Janitorial

Standard Ribbon Wound Steel

Order Code	Width mm	Thickness mm	Tensile Strength MPa	Elongation %	Finish	Approx Coil Weight Kg
WP403	12.7	.50	850	2-3%	Painted	11
WP402	15.9	.50	850	2-3%	Painted	15
WP400	19	.50	850	2-3%	Painted	16

Standard Rope/Mill Wound Steel

Order Code	Width mm	Thickness mm	Tensile Strength MPa	Elongation %	Finish	Approx Coil Weight Kg
WP406	12.7	.50	850	2-3%	Painted	45
WP405	15.9	.50	850	2-3%	Painted	45
WP407	19	.50	850	2-3%	Painted	45

Super High Tensile Rope/Mill Wound Steel

Order Code	Width mm	Thickness mm	Tensile Strength MPa	Elongation %	Finish	Approx Coil Weight Kg
WP410	16	.58	950	6-8%	Painted	45
WP414	19	.48	950	6-8%	Painted	45
WP413	19	.63	950	6-8%	Painted	45
WP409	19	.80	950	8-12%	Painted	45
WP415	31.7	.80	950	8-12%	Painted	45
WP421	19	.80	950		Zinc	45

Magnus Grade Rope/Mill Wound Steel

Order Code	Width mm	Thickness mm	Tensile Strength MPa	Elongation %	Finish	Approx Coil Weight Kg
WP410M	16	.58	950	6-8%	Painted	45
WP414M	19	.48	950	6-8%	Painted	45
WP413M	19	.63	950	6-8%	Painted	45
WP409M	19	.80	950	8-12%	Painted	45
WP415M	31.7	.80	950	8-12%	Painted	45

STEEL STRAPPING

Our strapping is manufactured to a consistent high quality, to ensure the best performance, strength and quality every order. We offer two basic types of steel strapping.

There is a selection of sizes each to match the requirements of your application.

We supply Apex® which is a cold-rolled, low carbon steel strapping, engineered to yield a higher break strength at a thinner gauge than regular-duty steel strapping. In many light to medium-duty applications, Apex can substitute for the heavier gauge regular-duty steel strapping to save money on material and shipping costs.

Super Grade Magnus® is cold-rolled, heat-treated, medium carbon steel strapping that provides high tensile strength and excellent shock resistance for the heaviest-duty applications.

Cold-rolling gives steel greater strength, permits much closer control of thickness and provides a smoother surface.

The particular type of strapping best suited to a specific application generally depends on three factors:

- 1) the strapping's function or purpose,
- 2) the package characteristics and
- 3) shipping or handling considerations.



Ribbon Wound Steel Strap



Rope/Mill Wound Steel Strap



Multi coil Steel Strap Skids



Standard Tools for Steel Strap

Order Code	Description	Suits
ST 1219	Tensioner - Flat Pack	12-19mm
ST 1219 HD	Tensioner - Flat Pack Heavy Duty	12-19mm
SS 12	Sealer 12mm steel	12mm
SS 16	Sealer 16mm steel	16mm
SS 19	Sealer 19mm steel	19mm



Heavy Duty Tools for Steel Strap

Order Code	Description	Suits
M.I.P. 1300	Tensioner - Flat Pack	12-19mm
M.I.P. 1400	Tensioner - Flat Pack Heavy Duty	19-32mm
M.I.P. 1100-58	Sealer, Double Notch, Down Cut, Front Action	16mm
M.I.P. 1100-34	Sealer, Double Notch, Down Cut, Front Action	19mm
M.I.P. 1152-34	Sealer, H/D Double Notch, Down Cut, Front Action	19mm
M.I.P. 3100-34 H/D	Sealer, H/D Double Notch, Up Cut, Side Action	19mm
M.I.P. 3100-114 H/D	Sealer, H/D Double Notch, Up Cut, Side Action	32mm



Combination Sealless Tools for Standard Steel Strap

Order Code	Description	Suits
SCMG	Combination Sealless tool standard grade only	12-19mm
SST333	Combination Sealless tool standard grade only	12-19mm


Dispenser Steel Strapping

Order Code	Description	Suits
WP802A	Dispenser CR-2 S (static) suit ribbon wound strap	12-19mm
WP802	Dispenser CR-2 W (wheels) suit ribbon wound strap	12-19mm
WP799	Dispenser H-84 Rope/Mill wound steel strap	12-19mm
WP800	Dispenser H-95 Ribbon wound steel strap	12-32mm



Steel Strap Cutters

Order Code	Description	Suits
SC 25	Cutter steel H-16	12-19mm
SC 32	Cutter steel H-17 Heavy Duty	12-32mm



TENSIONERS

Feedwheel tensioners have a serrated feedwheel which engage the strapping firmly. There is no limit to the amount of slack it can pull out of the strap. Fast and easy to use, they require the use of painted and waxed strapping. For smaller or irregular bundles, a push-type tensioner, which has no base under the strap is recommended.

SEALERS

Manual sealers provide positive sealing action with minimal effort. Light and durable, they lock strap ends into a high strength joint. Notch-type sealers cut into the seal and outer edges of the strapping, turning tabs down (down notch) or up (reverse notch).

COMBINATION SEAL-LESS

Combination Sealless tools require no metal seals, saving time and money. Sealless tools use interlocking keys to secure the ends of the strap.

DISPENSERS

With handy tool trays for storage of strapping tools and seals. These units are portable while reducing clutter and keeping work area's safe.

CUTTERS

For safely cutting and removing metal straps from packs. One or two handed strap cutters are available.



Polyester Strapping Smooth

Order Code	Width mm	Thickness mm	Breaking Strength N
WP150	12	.6	2 800
WP152	16	.7	4 480
WP154	16	.9	5 700
WP156	16	1.0	6 400
WP159	19	1.0	7 600

Polyester Strapping Embossed

Order Code	Width mm	Thickness mm	Breaking Strength N
WP151	12	.6	2 800
WP153	16	.7	4 480
WP155	16	.9	5 700
WP157	16	1.0	6 400

High Strength Polyester

Order Code	Width mm	Thickness mm	Breaking Strength N
WP134	16	Tenax 2040	6 230
WP137	19	Tenax 2225	11 120



POLYESTER STRAPPING

Polyester is one of the best strapping materials available today; it can be tensioned to higher break strength than any other strapping material. This unique quality makes it one of the best strapping materials of any type for securing loads.

It provides minimum elongation at its normal working tension. This "elastic" effect holds packages tighter. It provides greater load stability during storage and shipping. It provides superior retained tension under hot, humid conditions and is more resistant to such environments than other plastic strapping.

Polyester strapping is strong, yet performs smoothly and reliably in both hand and power strapping machines applications.

Polyester strapping is also much safer to use than metal strapping since it has no sharp edges.

It is significantly lower in cost than steel strapping, a lot safer to use, and easier to recycle or dispose of.

Our Polyester strapping is available in a range of gauges and widths.

Considering all of the above, Polyester strapping has become a wise choice as a steel strapping replacement.



POLYESTER STRAPPING TOOLS

Polyester Tools

Order Code	Description	Suits Strap Size
Tensioners		
PET 1219 HD	PET Tensioner - Heavy Duty	12-19mm
PT 320	PET Tensioner MUL-320 - Heavy Duty	12-19mm
Sealers		
PET 12	Sealer 12mm Polyester	12mm
PET 16	Sealer 16mm Polyester	16mm
Combination		
PET H-44	H-44 Combination Strapping Tool Manual	12-16mm
MBST	MBST Manual Tension, Battery Seal 16-19mm	16-19mm
H-46	H-46 Combination Battery Powered Tool	12-16mm
JD1316	JD1316 12V Combination Battery Tool 12-16mm	12-16mm
ZP-97	ZP-97 18V Combination Battery Tool 16-19mm	16-19mm
BXT2 18V	BXT2 - 18V Combination Battery Tool 16-19mm	16-19mm
JA19	JA-19 Pneumatic Combination Tool 12-19mm	16-19mm
Dispensers		
WP799	H-84 Strap Dispenser Universal	12-19mm



PET 1219 HD Standard tensioner for polyester strapping up to 19mm.



PT-320 MUL320 Heavy Duty PET tensioner up to 19mm.



PET12 & PET16 Heavy Duty Sealer for polyester strapping with offset jaws. Designed for use with serrated seals.



H-44 12/16 Combination tool used with serrated seals strap thickness up to .9mm. Strap width 12-16mm.



MBST Strapping Tool - Manual Tension with 14V battery powered friction seal. Suits both PP and PET Strapping 12-19mm.



H-46 Helios Battery Powered Strapping Tool. Easy single handed operation. Strap width 16-19mm




JD1316 12V Combination Strapping Tool suitable for PP and PET Strapping 12-16mm.



ZP-97 18V Combination Strapping Tool to suit 16-19mm Strapping. Light weight and easy to use.



BXT2-14V or 18V units Combination tool. Easy to operate, versatile design & low maintenance.



JA-19 Pneumatic Strapping Tool. Suits 12-19mm PET Strapping, 0.8mm - 1.1mm thick.



H-84 Universal PET strap dispenser

POLYPROPYLENE STRAPPING

Hand Grade PP Strap

Order Code	Width x Length	Description Type	Tensile Strength kg	Application	Colour
WP120	12mm x 1000m	Dispenser Pack	90	Manual	Blue
WP123	15mm x 1000m	Dispenser Pack	110	Manual	Blue
WP126	19mm x 700m	Dispenser Pack	110	Manual	Blue
WP129	19mm x 1000m	Dispenser Pack		Manual	Blue
WP121	12mm x 900m HD	Dispenser Pack	170	Manual	Black
WP125	15mm x 700m HD	Dispenser Pack	210	Manual	Black
WP124	15mm x 1000m HD	Dispenser Pack	320	Manual	Black
WP127	19mm x 600m HD	Dispenser Pack		Manual	Black
WP128	19mm x 1000m HD	Dispenser Pack	400	Manual	Black



Dispenser Packs Standard Duty available in 12,15 & 19mm

Machine Grade PP Strapping

Order Code	Description	Application	Colour
WP108	5mm x 7000m (200mm core)	Fully Auto	White
WP111	9mm x 4000m Premium	Fully Auto	Blue
WP101	12mm x 3000m Premium	130 Fully Auto	Clear
WP102	12mm x 3000m Premium	130 Fully Auto	Blue
WP103	12mm x 3000m Premium (.65)	Fully Auto	White
WP112	15mm x 2500m Premium	Fully Auto	Blue
WP122	12mm x 0.7mm x 2000m	270 Fully Auto	Black



Contrax PP Strapping

Code	Description	Application	Colour
WP142	Contrax 716 G 2440m	222 Fully Auto	
WP143	SP 216 Contrax 6mm x 5500m	90 Fully Auto	

Polypropylene strapping is a good choice for light and medium-duty applications, including palletising, unitising, bundling, carton closure and reinforcement. It resists splitting and has a smooth, uniform surface so it performs reliably in power strapping machines.


Embossed strapping is designed to perform in hot-knife sealing machines. It is a good choice for many light and medium-duty applications. A variety of coil sizes are available for use in many power strapping machines. Polypropylene strapping has "elastic memory" which absorbs shock and keeps strapping tight during handling and shipping.

It is an economical choice for many applications.

Dispenser Packs Heavy Duty available in 12, 15 & 19mm



Machine Grade Strapping available in 5, 9, 12 & 15mm widths



Poly Tensioners

Order Code	Description	Suits
PT 1219	Poly Tensioner - Standard	12-19mm
PT 1219 HD	Poly Tensioner - Heavy Duty	12-19mm
PT 320	Poly Tensioner MUL-320 - Heavy Duty	12-19mm

Poly Strapping Sealers

Order Code	Description	Suits
PS 12	Sealer 12mm	12mm
PS 16	Sealer 16mm	16mm
PS 19	Sealer 19mm	19mm
PS 12-16 Combo	Universal sealer	12-16mm
MBST	Combination Sealer	16-19mm

Poly Strapping Dispensers

Order Code	Description	Suits
WP796	H-83E Dispenser	PP Strap on 200mm core
WP797	H-83 Dispenser (mobile)	PP Strap on 200mm core
WP801	Poly Dispenser 15-19 HD	Adj core size 150/200/280/400mm



Poly Sealer - 12, 16 & 19mm models available. Designed for use with OF (open flange) seals.



PT-320 MUL320 Heavy Duty PET/Poly tensioner up to 19mm.



PET 1219 HD Standard tensioner for polyester strapping up to 19mm.



Standard Poly Tensioner PT 1219 (H-21)



MBST Strapping Tool - Manual Tension with 14V battery powered friction seal. Suits both PP and PET Strapping 12-19mm.



H-83E Dispenser suit 12mm x 3000m



H-83 Dispenser Mobile unit with wheels and tool container.



Mobile dispenser -Adjustable Core Size 150/200/280/400mm

POLY STRAPPING MACHINES

Semi-Auto Strapping Machines

Economy These machines are our most economical solution for Semi-Auto application. For low to medium volume strapping, our Semi-Auto machine is your best choice.

TP-202



Main Features

- High engineering standard and simple design.
- Easy operation, simple maintenance.
- Hinged stainless steel top plate.
- Mechanical outside tension control.
- Rigid castors with brake.
- Energy efficient, motor only runs as needed.
- Reliable P.C. Board control.
- Affordable for every budget.
- Offer maximum total value among competing brands.
- Proven quality.
- Option: Adjustable table height from 760mm to 930mm

TP-203



Main Features

- Mid-sized model.
- Smoke exhaust system.
- Designed specially for office, bank, post office, book and department store.. etc
- Other main features please refer to TP-202 model

TP-202L



Main Features

- Low- table model.
- Designed to accommodate tall or heavy packages.
- Other main features please refer to TP-202 model

Machine Servicing

On site breakdown and scheduled maintenance available.
Please call for further information.

TP-201



Order Code	Strap Widths	Strap Tension	Net Weight
TP-201	6mm-15.5mm	15-45kg	100kg
TP-202	6mm-15.5mm	15-45kg	85kg
TP-203	6mm-15.5mm	9-30kg	80kg
TP202L	6mm-15.5mm	15-45kg	80kg

POLY STRAPPING MACHINES

Automatic Strapping Machines

Value talks Mercury TP-702 is a world class high speed automatic strapping machine. The innovative features and superior performance give Mercury TP-702 a voice to speak for itself. It offers you the maximum value with the minimum cost.

TP-702-59 Hi Speed
up to 65
straps per minute



Main Features

Robust & Compact Mechanical Strapping Head. DC brushless motors technology, all motors are German-made. Designed with 30% fewer parts. The simple design of Mercury minimizes the maintenance cost. Free Access to Strap Guides, hinged top plate makes easy access to strapping head for quick maintenance. Waist High Quick Coil Change.

TP-702-12mm
Hi Speed



Waist height auto strap feeding. Turnable operating control panel. Front foot bar switch. Dispenser release switch. Sensor controlled heater. Low Voltage all DC motors and heater are "stepped down" to 24V to increase the safety of the machine. Auto strap ejector loop-eject clears unwanted strap automatically. Adjustable table height between 820mm and 920mm.

Order Code	Strap Widths	Straps Per Minute	Strap Tension	Net Weight	Standard Arch Size
TP-702-59	5mm-9mm	65 Straps	1-32kg	157 kg	550mm W x 400mm H
TP-702-12	12mm	60 Straps	1-45kg	166 kg	650mm W x 500mm H
TP601D	8mm-12mm	29 Straps	7-70kg	220 kg	850mm W x 600mm H
TP-6000	8mm-15.5mm	27 Straps	10-70kg	220 kg	850mm W x 600mm H

* Other sizes available upon request

TP-601D



TP-6000



Main Features

Reliable and Robust strapping head, using 2 proximity switches to replace conventional limit switches. Electronic strap tension control. Auto strap feeding. Insert strap, push "reset", machine will automatically feed itself. Automatic strap ejector clears unwanted strap.

Transpak offers general purpose automatic strapping machines with reliability and high performance.

Woven Polyester Strap

Order Code	Description	Coil Length Meters	Breaking Strength kg	Suits
WP178	9mm x 500mt Bailing Press Strap	500	280	9mm
SBP-13	13mm x 350mt Bailing Press Strap	350	380	13mm
WP169	16mm x 1,000mt 1 Blue Line	1,000	350	16mm
SWP16-2 Blue	16mm x 850mt 2 Blue Line	850	460	16mm
WP171	19mm x 850mt 1 Blue Line	850	590	19mm
WP170	19mm x 700mt 1 Red Line	700	840	19mm
WP172	19mm x 500mt 2 Red Line	500	1,100	19mm
SWP19- Or	19mm x 500mt Orange	500	1,100	19mm



Composite Polyester Strap

Order Code	Description	Coil Length Meters	Breaking Strength kg	Suits
WP174	16mm x 850mt White Composite	850	430	16mm
WP175	19mm x 500mt White Composite	500	630	19mm

Buckles Woven / Composite Strap

Order Code	Description	Buckles Per Ctn	Suits
WP532	16mm Buckle Gal to suit Composite	1,000	16mm
WP533	19mm Buckle Gal to suit Composite	500	19mm
WP530	16mm Buckle Phosphate for Woven	1,000	16mm
WP531	19mm Buckle Phosphate for Woven	500	19mm

Tools

Order Code	Description	Suits
PWT 1619	Tensioner Poly Woven	
WP798	Cord Strap Dispenser	



Woven Polyester Strap with Heavy Duty Phosphate Buckles



Composite Strap with Heavy Duty Galvanised Buckles



Tensioner Poly Woven PWT 1619



Cord Strap Dispenser WP798



Baling Press application

Woven Polyester Strapping retains high tension for long periods and can be re-tensioned at any time during transit or storage. Light weight, reusable strap allows you to reduce waste, and transport strap easily between work stations. No sharp edges to 'snap back' when cut - reduces workplace injuries.

Phosphate Coated Buckles give extra grip.

Composite Strapping combines strength, impact resistance and high joint efficiency. This user friendly product, stays tight on loads minimizing load shifting.

Seals for steel strap


Order Code	Description	Seal Type	Carton Quantity	Suits
WP503	SO - 12	Snap-On	1000	12mm
WP502	SO - 58	Snap-On	1000	16mm
WP501	SO - 34	Snap-On	1000	19mm
WP515	PNSC - 12	Thread On-Pusher	1000	12mm
WP516	PNSC - 58	Thread On-Pusher	1000	16mm
WP517	PNSC - 34	Thread On-Pusher	1000	19mm
WP511	3436 P	Thread On-Pusher	1000	19mm
WP511A	3436 SP	Thread On-Pusher	1000	19mm
WP510	5436 P	Thread On-Pusher	500	31.7mm
WP512	ZR - 12	Knock Over	1000	12mm
WP513	ZR - 58	Knock Over	1000	16mm
WP514	ZR - 34	Knock Over	1000	19mm
WP509	AMP	Magazine	7000	16-19mm
WP518	AHP-114	Magazine	1750	32mm
WP519	AHP 34	Magazine	3000	19mm

Snap-On seals are fast and easy to use. Placed over the strap ends either before or after tensioning the strapping.

Thread-On or Pusher Seal Strapping must be pre-threaded through the overlapping strap ends before the tensioning tool is applied. The tensioner pushes against the edge of the seal.

ZR knock over seal for steel strap

Magazines Seals permits loading partial stacks into magazines of seal feed combination tools and power strapping machines. Held together by interlocking nibs.



SO- Snap On



Thread On
Pusher PNSC



3436P



5436P



ZR- Knock Over



Magazine Seals

Seals & Buckles for Poly & Pet Strap

Order Code	Description	Seal Type	Carton Quantity	Suits
WP115	12mm Plastic Buckle	Plastic Buckle	1000	12mm
WP116	15mm Plastic Buckle	Plastic Buckle	1000	15mm
WP527	12mm Metal Buckle	Metal Buckle	1000	12mm
WP525	15mm Metal Buckle	Metal Buckle	1000	15mm
WP526	19mm Metal Buckle	Metal Buckle	1000	19mm
WP506	OF - 12	Open Flange	1000	12mm
WP505	OF - 58	Open Flange	1000	15mm
WP505A	OF - 58 HD	Open Flange	1000	15mm
WP504	OF - 19 STD	Open Flange	1000	19mm
WP507	OF - 19 HD	Open Flange	1000	19mm
WP521	12mm Serrated	Open Flange	1000	12mm
WP520	16mm Serrated	Open Flange	1000	16mm
WP522	50 DY	Snap On	2500	12mm

Plastic Buckles the most economical way of joining poly strap.

Metal Buckles can be used with poly tensioner to induce greater tension.

Open Flange seals requires no pre threading.


Serrated Seals used with PET strap, the serrated pattern locks the strap from slipping under tension.



Plastic Buckle



Metal Buckle




Open Flange



Serrated Seal

Strap Guards

Order Code	Description	Pack
WP523	"R" Brackets	Ctn
WP524	"J" Brackets	Ctn
WP650	PCP 38 Plastic Corners (5000/ctn)	Ctn
WP652	Heavy Duty Plastic Corners (1000/box)	Ctn





PCP 38 Plastic Corners



Heavy Duty
Plastic Corners

" R " Metal Brackets



" J " Brackets

Angleboard Edge Protection Products

Order Code	Description
------------	-------------


Strap Guards

WP645	60604 x 50mm Angles (1,000/ctn)
WP644	60606 x 150mm Angles (200/ctn)

Standard Lengths

WP641	60604 x 1m Length (25/bundle)
WP643	60604 x 1.17m Length (25/bundle)
WP642	60604 x 2.4m Length (25/bundle)

*CUSTOM SIZES AVAILABLE



Angle Board

Edge Protection- Load Stability- Stacking Strength

Angle Board is a simple product that solves a wide range of packaging problems.

Made by laminating recycled paperboard into a rigid right-angle shape, Angleboard provides edge protection as well as load containment, stabilization and uniform weight distribution.

Strap Guard provides protection from strapping damage on palletized loads or stacked products.


NotchGuard is a one piece Edge & corner Protector with precise die-cut notches and scores that permit it to be hand-folded quickly into a 90-degree shape to protect corners. NotchGuard is shipped and stored unfolded for freight and storage efficiency.

Flexi Roll is a continuous-length roll designed to protect curved, round and irregular-shaped products by conforming to their edges to ensure the material beneath is not damaged during shipping and storage. Flexi Roll's unique pre-bent design conforms to any shape and fits any size. Ideal for converters of paper and other roll stock materials it effectively separates rolls from contact.

FlatGuard ships and stores flat, maximizing transport and storage space. Folds easily to form a U-Channel, useful for protecting windows and doors and other products that require special handling. Can be engineered with special die cuts and folds to provide application-specific protection.



Notch Guard




Flat Guard



Strap Guard

Flexi Roll



STRETCH FILM / TOP SHEETS

Hand Grade Cast Stretch Film

Order Code	Description
WP195	15um - 500mm x 300m Cast Hand Film
WP199	12um - 500mm x 400m Cast Hand Film
WP201C	23um - 500mm x 350m Cast Hand Film
WP224C	25um - 500mm x 350m Cast Hand Film
WP222C	25um - 500mm x 350m Cast Black Hand Film

Hand Grade Blown Stretch Film

Order Code	Description
WP201	23um - 500mm x 400m Blown Hand Film
WP224	25um - 500mm x 400m Blown Hand Film
WP222	25um - 500mm x 400m Blown Black Hand Film

Machine Grade Premium Cast Stretch Film

Order Code	Description
WP186	Max Stretch Film 2174m
WP211	Maxi Film Series 2 - 20um
WP212	Maxi Film Series 3 - 23um
WP215	Maxi Film Series 4 - 750mm x 23um
WP208	Maxi Film Black - 25um

Special Purpose Stretch Wrap/Film/Top Sheets

Order Code	Description
WP198	Galewrap 450m hand film HEC
WP196	Galewrap 2100 machine film HEC
WP217	M102EFA 15um Green film - Newsagents
WP202	23um x 500mm x 1500m Green film
WP184	Tama Net film 500mm x 3000m
WP209	Bundling Film 20um x 100mm x 300m
WP300	20um x 840/1680 Black Top Sheets (250 sheets)
WP301	20um x 840/1680 Nat Top Sheets (250 sheets)
WP803	Stretch wrap hand dispenser
Wp810	Bundle wrap hand dispenser



GALE WRAP

Oriented film featuring "Hemmed Edge On A Core".

TAMA NET

Open netting provides breathability of your product.

BUNDLING FILM

Quick and easy, doesn't stick to items. Unitizes products together.

PALLET TOP SHEETS

For dust and rain protection, in black & natural. Perforated on a 840mm wide centrefold roll.



Protective Packaging

Order Code	Description	Pack Size
------------	-------------	-----------

Bubble Wrap

WP600	10mm 1.5 x 100m Bubble Wrap	Roll
WP610	20mm 1.5 x 100m Bubble Wrap	Roll

Bubble wrap is available in 10, 20 and 30mm bubbles. Single or double layers. **Rolls can be slit and perforated** at additional charge. Perforation range from 10cm - 300cm. Minimum order applies.

Poly Foam Rolls

Wp581	1mm x 1.2m x 100m	Roll
WP586	1mm x 1.2m x 300m	Roll
WP584	2mm x 1.2m x 100m	Roll
WP587	2mm x 1.2m x 200m	Roll
Wp578	2mm x 1.2m x 250m	Roll

Foam rolls LDPE is available in different thickness up to 5mm. Rolls can be slit and perforated at additional charge. Perforation min 30cm. Minimum order applies.

Corrugated Board

WP665	900mm x 50sq meters	Roll
WP667	1200mm x 50sq meters	Roll
WP666	1500mm x 50sq meters	Roll

Other sizes available. Minimum order applies.

Kraft Paper

Assorted roll widths from 300mm - 1800mm and thickness range from 40 - 235 gsm combinations.

Protective Mailing Bags

WP620	Mailbag 1- 151 x 220	300/ctn
WP621	Mailbag 3- 210 x 270	200/ctn
WP622	Mailbag 5- 241 x 345	150/ctn
WP623	Mailbag 7- 265 x 375	100/ctn
WP624	Mailbag 9- 304 x 400	100/ctn
WP625	Mailbag 11- 360 x 470	75/ctn

All mailbags have a 50mm fold-over flap.

Jiffy Bags

WP628	P1 Jiffy Bags 150 x 255	200/ctn
WP628A	P2 Jiffy Bags 215 x 280	100/ctn
WP627	P4 Jiffy Bags 240 x 340	100/ctn
WP626	P5 Jiffy Bags 265 x 380	100/ctn
WP626A	P6 Jiffy Bags 300 x 405	50/ctn
WP627A	P7 Jiffy Bags 360 x 480	50/ctn

Void Fill

WP629	Flowpak Void Fill 400L
-------	------------------------

Bubble Wrap

Poly Foam

Corrugated Board

Kraft Paper

Void Fill

Protective Mail Bag

Jiffy Bag

Customised Protective Packaging

Custom Made Cartons

Cartons for your every need, small or large quantities can be delivered to your door within a short time in most cases.

A large range of board grades on offer to suit General packaging and storage, heavy duty shipping, food and produce, wholesale or retail.

When ordering please advise

- (A) Board grade
- (B) Internal dimensions length, width & height.
- (C) Quantity required.

Printed cartons are also available, If you require printed cartons, we can provide a carton with your company logo and design.



Cartons custom made to your requirements. Large or small quantities.

Layflat Tubing and Perforated Bags

Custom made Polythene Lay-flat Tubing. Continuous lay-flat polythene tubing on a roll is widely used in packing departments and warehouses. Simply insert your product into the lay-flat tubing, cut to length and either heat seal, tie, staple or tape both ends to make a custom-made bag.

Suitable applications such as, machine parts, fabric rolls, carpets, tubular components and many other products.

- *Extra heavy duty tubing is perfect for transit or export
- *Ideal for packaging hard to wrap objects
- *Excellent general purpose heavy duty clear polythene tubing
- *Use together with a heat sealer to produce sealed custom bags
- *Provides 100% waterproof protection to keep out the rain or floods

Other polythene products available are,
Single wound sheet , Centerfold sheet, Side gusset tube/bag on rolls



Layflat Tubing custom made to your specifications.



Peel and Press Labels

Order Code	Description	Pack Size
Supa Labels		
WP734	"HEAVY"	500/ctn
WP735	"HANDLE WITH CARE"	500/ctn
WP736	"FRAGILE"	500/ctn
WP737	"TOP LOAD ONLY"	500/ctn
WP738	"DO NOT CRUSH"	500/ctn
WP739	"THIS WAY UP"	500/ctn
Wp741	"GLASS WITH CARE"	500/ctn
	"URGENT"	500/ctn
	"DO NOT BEND"	500/ctn
	"PRIORITY"	500/ctn
	Label Size 75mm x 135mm	

WP742	"TO: - FROM:" 95mm x 135mm	400/ctn
-------	----------------------------	---------

Document Envelopes Self Adhesive

WP730	Invoice Enclosed 150mm x 115mm	1000/ctn
WP732	Packing Enclosed 150mm x 115mm	1000/ctn
WP733	Document Enclosed 115mm x 160mm	1000/ctn



Packaging Tape

Order Code	Description	Rolls/ctn
Rubber Adhesive		
WP702	PP30 48mm x 75m Clear Tape	36/ctn
Wp702	PP30 48mm x 75m Brown Tape	36/ctn
WP695	SBT 48mm x 75m Clear Tape	36/ctn
WP687	SBT 72mm x 75m Clear Tape	12/ctn
WP696	SBT 48mm x 75m Brown Tape	36/ctn

Acrylic Adhesive

WP699	48mm x 75m Clear Tape	36/ctn
WP697	36mm x 75m Clear Tape	48/ctn

Masking Tape

WP713	18mm x 50m Masking Tape
WP712	24mm x 50m Masking Tape
WP711	36mm x 50m Masking Tape
WP710	48mm x 50m Masking Tape

FLURO Printed Tape

WP751	Handle With Care 48mm x 66m
WP754	Top Load/Plain 48mm x 66m
WP752	Fragile Tape/Plain 48mm x 66m

PLAIN Printed Tape

WP750	Handle With Care 48mm x 66m
WP755	Top Load/Plain 48mm x 66m
WP753	Fragile Tape/Plain 48mm x 66m

Filament Tape One Way

WP690	Filament Tape 19mm x 45m
WP691	Filament Tape 24mm x 45m
WP692	Filament Tape 38mm x 45m
WP693	Filament Tape 50mm x 45m

Filament Tape Two Way

WP694	Two Way Filament Tape 75mm x 45m
-------	----------------------------------



Other sizes upon request.

Custom Printed Tape

Print your Company Logo or contact details on your tape. Enquire for further information.

Also available.. "Packaging Tapes for all applications".

	Description
Acribond...	Construction, auto electronic, sign, display.
Anti Slip...	Safer work-place prevent slips.
Barrier Tape...	Identify hazards-vibrant colours.
Bookbinding Tape...	Cloth tape with strong backing, range of colours.
Bumpers...	Polyethylene foam, Nitrile rubber, felt for cushioning.
Double Sided...	General purpose mounting, Hi strength, automotive.
Electrical Tape...	High temp resistance film, PVC, polyester, woven glass cloth.
Filament Tape...	Uni or bi direction, economy or premium.
Foam Sealing...	Soft, medium, heavy density. Urethane, polyethylene, nitrile rubber tapes.
Glazing Tape...	Micro-cellular polyurethane foam.
Hang Strips, Tabs...	Self adhesive merchandising strips & tabs.
Hook & Loop...	Invisible mounting, point of sale, sign & display 1,000 & 1 applications.
Lane Marking...	Vibrant colours, easy to see, long lasting floor tapes.
Masking Tapes...	General purpose, high temp, premium, automotive.
Reflective Tapes...	Class-1 Hi intensity, Class-2 engineering grade.
Repair Tape...	Cloth tape, waterproof polyethylene coated, bookbinding, gaffer tape.
Speciality Tape...	Silicone kraft paper tape, picture framing tape, reinforced aluminium foil tape. Silicone splicing tape, white synthetic felt tape, black fur felt tape, polyethylene protection tape, embossed silicone rubber tape, flexible magnetic tape, polyethylene slippery wear resistance tape, teflon coated cloth tape.



WP804 Pistol Grip Tape Dispenser

Builders Film

Made from strong and durable polythene film, Builders Film is ideal for many uses around the building site from pouring concrete to using as a protective film in storage and transport. Available in many sizes, thicknesses and colours.

Order Code	Description	COLOUR
WP326A	1/2m x 100m x 100um	CLEAR
WP326C	1/2m x 100m x 100um	BLACK
WP327	2/4m x 100m x 100um	BLACK
WP328	2/4m x 50m x 200um	CLEAR
WP328B	1/2m x 50m x 200um	BLACK
WP329	2/4m x 50m x 200um	BLACK

Builders Film can be printed with your company logo or other information. Please ask for further information if required.



Protective Film

Code	Description
------	-------------

Carpet Protection Film

WP356A	0.5m x 100m Clear
WP356	1.0m x 100m Clear

*Hard floor protective film also available

Window Protection Film

WP355A	610mm x 100m x 50um Blue
WP355	1220mm x 100m x 50um Blue
WP357	1220mm x 100m x 75um Green

UV Resistant for up to 6 Months




Corflute Sheets

Available in various sizes and colours.

Can be cut to size

Great for floor protection



Hand Protection

Various styles for numerous industries available:

Nitrile Gloves - Painters, Panel Beaters

Vinyl Gloves - Food Prep, General use

Latex Gloves - Food Prep, General use

Riggers Gloves - Where extra protection is required

Synthetic Coated Gloves - General warehouse use

Mechanics Gloves



Eye Protection

Clear and tinted glasses

Goggles

Face Shields

Various forms of eye protection for all applications.



Hearing Protection

Corded and Uncorded ear plugs

Ear muffs

Reusable and disposable



All forms of hearing protection to suit all Class's of protection

Respiratory Protection

P1 & P2 Pre moulded disposable face masks

Half Face Respirators

Full Face Respirators



Please enquire with your specific safety requirement so we can protect you with the correct equipment



Office Stationery



We can help you with all your office and warehouse stationery needs.

Pens
Copy Paper
Tape Dispensers
Printer Toner
Printer Labels

Permanent Markers
Adhesive Tape
Rubber Bands
Copier Toner



Require something different? We can get it for you.



Cutters and Scrapers

9mm and 18mm snap off blades
Various styles of cutters available
Refill packs of various blades available

Scrapers and refills available

Food Protection

Prevent contamination and costly losses by using the correct equipment

Beard Nets
Hair Nets
Shoe Covers
Coveralls
Aprons
Vinyl Gloves
Latex Gloves



Janitorial Products

Hand Towels
Toilet Paper
Tissues
Detergent
Handwash
Urinal Tabs



**WESTSIDE
PACKAGING
SYSTEMS**
AUSTRALIA

wps



Contact Details

Westside Packaging Systems Australia
Factory 2, 4-8 Mareno Road
Tullamarine VIC 3043

PO Box 201
Tullamarine, Vic 3043

Web Page: www.westsidepackaging.com.au
E-Mail: sales@westsidepackaging.com.au
Phone: 03 9335 5448
Fax: 03 9335 6369

